




26077

Resprep® 12- or 24-Port SPE Manifolds

- Use with any standard male luer end SPE cartridges.
- Inert, PTFE sample guides reduce cross-contamination and carryover.
- Flexible sample collection rack will accommodate a variety of receiving vessels.
- Quick vacuum-release valve for better system control.
- Individual valves allow vacuum control for each cartridge, improving reproducibility.


Resprep® Manifold Replacement Parts




Valve
26083




Valve
Attachment
26130



Manifold Lid



Needle
Attachment
26131



Sample Guide
Needle
26084



Waste container
(shown in tank)*

26078

26077

26079

Top shelf for
round-bottom
flasks*

Description	qty.	cat.#
Complete Resprep SPE Manifold, 12-Port (Includes: glass basin with built-in vacuum regulator, polypropylene lid with 12 individual control valves, 12-position collection rack, 12 PTFE sample guides, and waste container.)	kit	26077
Complete Resprep SPE Manifold, 24-Port (Includes: glass basin with built-in vacuum regulator, polypropylene lid with 24 individual control valves, 24-position collection rack, and 24 PTFE sample guides.)	kit	26080

Resprep® Manifold Replacement Parts

Description	qty.	cat.#
Replacement Waste Container, 12-Port	ea.	24014
Replacement Vacuum Valve and Gauge Assembly	ea.	24008
Glass Vacuum Chamber w/gauge & valve for Resprep manifolds, 6 or 12-Port	ea.	25991
Collection Rack		
Collection Rack, 12-Port	ea.	26079
Collection Rack, 24-Port	ea.	26082
Manifold Lid		
Replacement Manifold Lid (sample guides not included), 12-Port	ea.	26078
Replacement Manifold Lid (sample guides not included), 24-Port	ea.	26081
Manifold Lid Replacement Parts		
Valves, 12 or 24-Port	2-pk.	26083
Valve Attachment	48-pk.	26130
Needle Attachment	48-pk.	26131
Sample Guide Needles, 12 or 24-Port	12-pk.	26084

*Waste container (shown in tank) and top shelf for round-bottom flasks are not included in 24-port manifold kit (cat.# 26080).

Oil-Free Vacuum/Pressure Station for 12-Port Resprep® SPE Systems

Allows switching from pressure to vacuum in a matter of seconds. Quiet, oil-free unit will not contaminate the extraction system or your samples. Provides 20" Hg (68 kPa) vacuum or 18 psi (124 kPa) pressure.



24002


Description	qty.	cat.#
Oil-Free Vacuum/Pressure Station, 115VAC, 60Hz, US	ea.	24002
Oil-Free Vacuum/Pressure Station, 230VAC, 50Hz, Europe (CE certified)	ea.	24003
Vacuum Tubing (10 ft./3 m, 1/4" ID)	ea.	24016

Not recommended for use with 24-port manifold.

Warranty period is one year from date of purchase. Evaluation fee is charged for repairs out of warranty.

Resprep® 6-Port Disk Manifold Lid

- Low-cost option for disk extraction; fits standard 3 3/4" x 7 1/2" glass vacuum chambers.
- Doubles sample capacity—holds six disks, compared to standard 12-port manifolds, which only hold three.
- Individual vacuum control for each port improves reproducibility.
- Collection plate design secures variety of receiving vessels.
- Inert PTFE sample guides reduce cross-contamination and carryover.
- Compatible with any standard male luer end disk holder.



Fully assembled unit shown with glass vacuum chamber (cat.# 25991) and disk holders (cat.# 24020).

Description	qty.	cat.#
Resprep 6-Port Disk Manifold Lid*		
Includes: polypropylene lid with 6 ports, 6 nylon valves, 6 PTFE needle guides, 4 black lid legs, collection baseplate, collection plate for volumetric flasks, collection plate for concentrator tubes, 3 white collection plate posts, 12 collection plate retaining clips	kit	25992
Accessories		
Glass Vacuum Chamber w/gauge & valve for Resprep manifolds, 6 or 12-Port	ea.	25991
Manifold Lid Replacement Parts		
Valves, 12 or 24-Port	2-pk.	26083
Valve Attachment	48-pk.	26130
Needle Attachment	48-pk.	26131
Sample Guide Needles, 12 or 24-Port	12-pk.	26084
Gasket, 12-port	2-pk.	24011

*Vacuum chamber (cat.# 25991) not included.

Resprep® Sample Delivery System

- Compatible with Resprep® 1, 3, 6, and 15 mL SPE cartridges and Diskcover-47 extraction disk holder (cat.# 24020).
- Six PTFE transfer lines (1/8" OD x 1/16" ID x 36" long); each is banded with a different color for easy sample identification.
- Specified in EPA drinking water methods.
- Tested to pH of 1 to ensure no contaminants leach from system.

Use the Resprep® sample delivery system to transfer large volumes of low viscosity samples directly from a bottle to a solid phase extraction cartridge, or to a disk on a vacuum manifold system for extraction or cleanup. Each unit consists of six transfer lines with a stainless steel weight on one end and a color-coded screw fitting and polyethylene terephthalate (PET) adapter on the opposite end.



Description	qty.	cat.#
Resprep Sample Delivery System	6-pk.	26250